L Number	Hits	Search Text	DB	Time stamp
10	1	6390043.URPN.	USPAT	2004/07/05 16:02
11	6	("4858572" | "5215046" | "5341777" | "5836276" | "5836277" | "6085708").PN.	USPAT	2004/07/05 16:03
12	12	"3781069"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/05 16:04
17	9012	123/90.15-90.18,90.27,90.31,90.34.ccls. or 464/1,2,160.ccls. or 74/568R.ccls. or 92/5R,5L,6R,85R,120-122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/05 16:10
18	445	(123/90.15-90.18,90.27,90.31,90.34.ccls. or 464/1,2,160.ccls. or 74/568R.ccls. or 92/5R,5L,6R,85R,120-122.ccls.) and (cushion$3 or damp$5 or impact$3 or contact$3) with (vane or stator or rotor or shoe or stay or bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/05 16:16
19	171	(123/90.15-90.18,90.27,90.31,90.34.ccls. or 464/1,2,160.ccls. or 74/568R.ccls. or 92/5R,5L,6R,85R,120-122.ccls.) and (cushion$3 or damp$5 or impact$3 or contact$3) near3 (wall or surface or edge) with (vane or stator or rotor or shoe or stay or bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/05 16:17
20	18	(123/90.15-90.18,90.27,90.31,90.34.ccls. or 464/1,2,160.ccls. or 74/568R.ccls. or 92/5R,5L,6R,85R,120-122.ccls.) and (((cushion$3 or damp$5 or impact$3 or contact$3) near3 (wall or surface or edge)) with ((vane or stator or rotor or shoe or stay or bridge) near3 (project$3 or protuberance or groove or recess$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/05 16:19
—	33	sluka-gerold.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:11
—	10	schneider-guido.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:12
—	2	schneider-guido-$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:20
—	1796	123/90.17.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:21
—	5448	123/90.15-90.18,90.27,90.31.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:21
—	358	464/1,2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:21
—	640	92/85R.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:21
—	1152	92/85R,120-122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:22
—	0	123/90.17.ccls. and 92/85R.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:22

–	7	123/90.17.ccls. and 92/85R,120-122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:23
–	209	123/90.17.ccls. and 464/1,2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:23
–	6718	123/90.17.ccls. or 123/90.15-90.18,90.27,90.31.ccls. or 464/1,2.ccls. or 92/85R.ccls. or 92/85R,120-122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/05 16:08
–	5	(123/90.17.ccls. or 123/90.15-90.18,90.27,90.31.ccls. or 464/1,2.ccls. or 92/85R.ccls. or 92/85R,120-122.ccls.) and (damp$3 or cushion$3 or soft$5) near3 (wall or surface) with (projection or groove or protuberance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:27
–	14	(123/90.17.ccls. or 123/90.15-90.18,90.27,90.31.ccls. or 464/1,2.ccls. or 92/85R.ccls. or 92/85R,120-122.ccls.) and (damp$3 or cushion$3 or soft$5) near3 (wall or surface) with (impact$3 or contact$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:29
–	7	123/90.17.ccls. and (damp$3 or cushion$3 or soft$5) near3 (wall or surface)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:29
–	7	123/90.17.ccls. and (damp$3 or cushion$3 or soft$5) near3 (wall or surface or edge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:29
–	27	123/90.17.ccls. and (damp$3 or cushion$3 or soft$5) with (impact$3 or contact$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:36
–	30	123/90.17.ccls. and (damp$3 or dampen$3 or cushion$3 or soft$5) with (impact$3 or contact$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:37
–	30	(123/90.17.ccls. and (damp$3 or dampen$3 or cushion$3 or soft$5) with (impact$3 or contact$3)) not 92/85R.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:37
–	3	(123/90.17.ccls. and (damp$3 or dampen$3 or cushion$3 or soft$5) with (impact$3 or contact$3)) not (123/90.17.ccls. and (damp$3 or cushion$3 or soft$5) with (impact$3 or contact$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:37
–	871	(damp$3 or dampen$3 or cushion$3 or soft$5) with (impact$3 or contact$3) same ((vane or shoe or stay) with (wall or surface or edge))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:41
–	3	(123/90.17.ccls. or 123/90.15-90.18,90.27,90.31.ccls. or 464/1,2.ccls. or 92/85R.ccls. or 92/85R,120-122.ccls.) and ((damp$3 or dampen$3 or cushion$3 or soft$5) with (impact$3 or contact$3) same ((vane or shoe or stay) with (wall or surface or edge)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:39
–	2914	((damp$3 or dampen$3 or cushion$3 or soft$5) with vane)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 19:15
–	34	123/90.17.ccls. and (((damp$3 or dampen$3 or cushion$3 or soft$5) with vane))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 18:42
–	15	5836276.URPN.	USPAT	2004/07/04 18:46

-	2	("5107804" | "5666914").PN.	USPAT	2004/07/04 19:11
-	6	("3781069" | "5836276" | "5836278" | "6014952" | "6311656" | "6390043").PN.	USPAT	2004/07/04 19:12
-	3	(US-6390043-$ or US-5836276-$ or US-6668777-$).did.	USPAT	2004/07/04 19:14
-	2	((US-6390043-$ or US-5836276-$ or US-6668777-$).did.) and (((damp$3 or dampen$3 or cushion$3 or soft$5) with vane))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 19:15
-	3	((US-6390043-$ or US-5836276-$ or US-6668777-$).did.) and (cushion$3 or damp$5 or impact$3 or contact$3 or strik$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/04 19:17